

RECEIVED
CENTRAL FAX CENTER

APR 06 2007

IN THE CLAIMS:**Listing of the claims:**

1. (Withdrawn) A nucleic acid construct comprising in operable association a casein gene promoter, a signal sequence and a polynucleotide fragment encoding hirudin.
2. (Withdrawn) The nucleic acid construct of Claim 1, wherein the promoter is isolated from goat β -casein gene.
3. (Withdrawn) A nucleic acid construct of Claim 1, wherein the polynucleotide fragment has a nucleotide sequence of SEQ ID NO:15 or 16.
4. (Withdrawn) The nucleic acid construct of Claim 1 wherein the signal sequence has a nucleotide sequence of SEQ ID NO: 9.
5. (Withdrawn) The nucleic acid construct of Claim 1, further comprising one or more β -globin insulator elements.
6. (Withdrawn) A transgenic non-human mammal whose genome comprises the nucleic acid construct of Claim 1.
7. (Withdrawn) The transgenic non-human mammal of Claim 6, which is a pig, cattle, horse, goat, camel, sheep, or rodent.
8. (Withdrawn) The transgenic non-human mammal of Claim 6, which is a female and can produce milk that contains hirudin encoded by the polynucleotide fragment encoding hirudin.

9. (Withdrawn) The transgenic non-human mammal of Claim 6, which is male and its female offspring that can produce hirudin encoded by the polynucleotide fragment encoding hirudin.
10. (Currently amended) A process for producing hirudin comprising the steps of providing ~~the a female~~ transgenic non-human mammal ~~of Claim 8~~ whose genome comprises a nucleic acid construct comprising in operable association a casein gene promoter, a signal sequence and a polynucleotide fragment encoding hirudin the female non-human mammal producing milk that contains hirudin encoded by the polynucleotide fragment encoding hirudin, collecting milk from the mammal and recovering hirudin from the milk.
11. (Currently amended) A process for producing hirudin comprising the steps of providing a male transgenic non-human mammal whose genome comprises a nucleic acid construct comprising in operable association a casein gene promoter, a signal sequence and a polynucleotide fragment encoding hirudin of Claim 9, producing female offspring from the male mammal that can produce hirudin encoded by the polynucleotide fragment encoding hirudin, collecting milk from the female offspring and recovering hirudin from the milk.
12. (Withdrawn) An expression vector comprising a replication origin and the nucleic acid construct of Claim 1.
13. (Withdrawn) The expression vector of Claim 12, wherein the promoter of the nucleic acid construct is isolated from a β -goat casein gene.
14. (Withdrawn) The expression vector of Claim 12, wherein the polynucleotide fragment of the nucleic acid construct has a nucleotide sequence of SEQ ID NO 16 or 16.

15. (Withdrawn) The expression vector of Claim 12, wherein the signal sequence of the nucleic acid construct has a nucleotide sequence of SEQ ID NO: 9.
16. (Withdrawn) The expression vector of Claim 12, wherein the nucleic acid construct further comprises one or more β -globin insulator elements.
17. (Cancelled)
18. (Withdrawn) A transformed mammary gland cell comprising the expression vector of Claim 12.
19. (Withdrawn) The transformed mammary gland cell of Claim 18, which is derived from human, pig, cattle, horse, goat, camel, sheep or rodent.
20. (Withdrawn) A mammalian cell isolated from the transgenic non-human mammal of Claim 6, which comprises a genome comprising the nucleic acid construct of Claim 1.
21. (Currently amended) A process for producing hirudin, comprising the steps of culturing ~~the~~ a transformed mammary gland cell comprising an expression vector including a replication origin and a nucleic acid construct including in operable association a casein gene promoter, a signal sequence and a polynucleotide fragment encoding hirudin of Claim 18 under a condition suitable for expressing hirudin and recovering the hirudin therefrom.
22. (Currently amended) A process for producing hirudin, comprising the steps of isolating a mammary gland tissue or cell from ~~the~~ a transgenic non-human mammal whose genome comprises a nucleic acid construct

including in operable association a casein gene promoter, a signal sequence and a polynucleotide fragment encoding hirudin of Claim 6,
culturing the isolated mammary gland tissue or cell under a condition suitable for expressing hirudin and recovering the hirudin therefrom.